

TECHNICAL RIDER

WERKK Kulturlokal Baden, February 2026

Contact:

WERKK Kulturlokal
Schmiedestrasse 1
5400 Baden
056 221 65 50
love@werkk-baden.ch

For Technical Concerns:

Roger Müller
roger.mueller@baden.ch
+41 79 561 78 69

This techrider and a DMX patch can be downloaded at: [Downloads / Werkk Baden](#)

1) Sound Specifications

Speakers

2x Coda Hops12T-Pro / 3-way point source
➔ Frequency Response: 44 Hz – 22 kHz (-6 dB)
➔ Power Rating: 2000 W AES / 8000 W PK

2x Coda U4 / dual 18" subwoofer
➔ Frequency Response: 30 Hz - 150 Hz (-6 dB)
➔ Power Rating: 2500 Watt RMS / 10'000 W PK

Crossover at 70hz

Amps

1x Coda Linus 12C
➔ 4x 3000W/4 Ohm
2x Crown XT14002 (800 W RMS)

Monitors

2x passive JBL STX 815M (15" LF, 1.4" HF) amped with Crown XT14002 (800 W RMS)
2x active dB Technologies Flexsys FM12 (300 W RMS)

Console

1x MIDAS M32 Digital Mixing Console, 32 Channels
2x MIDAS DL16 Digital Stagebox, 16 In- / 8 Outputs

2x Cat5 Ethercon for your guest console (only one is AES50 compatible)
1x Cat5 (without Ethercon, but AES50 compatible)

Microphones	1x Shure Beta 91 1x Shure Beta 52A 1x AKG D112 4x Sennheiser E604 1x Audio-Technica ATM230 3x Sennheiser E614 2x Shure BG 4.1 4x Shure SM57 2x Sennheiser E609 3x Shure SM58 1x Shure Beta 58 A 2x Line 6 XD-V75 Wireless Handheld Mic System 2x BLX4-M17 Shure SM58 Wireless Handheld Mic System
DI	5x Monacor DIB-100 Passive Mono-DI 2x Palmer PAN 02 Active Mono-DI 1x Palmer PAN 01 Passive Mono DI 1x Millenium DIP Passive Mono-DI 1x Palmer PMB-L Merge Box
Microphone Stands	9x Tall K&M Stands 3x Medium K&M Stands 1x Small K&M Stand
DJ-Equipment	1x Pioneer DJM 900-nxs2 1x Pioneer DJM-700 2x Pioneer CDJ-3000 2x Pioneer XDJ-1000 M 2x Pioneer CDJ-900nxs 3x Technics SL1210 MK2
Cables & Adapters	Nearly everything
dB-Measurement	AMIX Series 2 AFF25

PLEASE NOTE THAT ACCORDING TO A STRICT SWISS LAW

**→ Max Sound Level: 100dB(A) LEQ over 1 hour
125dB(A) at any time**

WE THANK YOU IN ADVANCE FOR YOUR COOPERATION!

2) Light Specifications

DMX Controllers MA dot2 Core

Stage
4x Fresnel
4x Profiler
8x Par 56
4x Stairville MH-x60 Moving Head
3x Evolite Moving Beam 12x10
6x Cameo Thunder Wash 100RGB
4x LED Par RGB
2x Showtec Stage Blinder 2 DMX
2x Showtec Sunstrip Active
1x Martin Jem Compact Hazer Pro

Dancefloor
2x IMG Stage Line LED-10SPOT
1x Mirror-Ball 1m with Stairville MBM40D Mirror Ball Motor
6x Evolite Moving Wash 5x15c

Mood Lights
16x LED-PAR RGB
10x Globes Ambient Lights

The DMX-Patch can be downloaded from our website: [Downloads / Werkk Baden](#)

3) Power

Backline Power
230V, Swiss T13 Powersockets
230 V, Schuko/Type F Powersockets
1x CEE63
2x CEE32
2x CEE16

We do not provide extension cables for the CEE outlets. If you require CEE outlets, kindly bring your own cables. The CEE outlets are located in a room on stage left, therefore a cable length of approximately 6–10 meters is recommended.

Power Boards
Swiss T13 Powerboards
Schuko CEE 7/3 Powerboards

4) Dimensions

Concert Venue	Size	120m ²	Width	11.4m
	Depth	9.8m	Height	5m

Stage	Size	37m ²	Width	6.5m
	Depth	5.6m	Height	3.9m

Capacity Max. 300 Pers.