

TECHNICAL RIDER

WERKK Kulturlokal Baden, August 2025

Contact:

WERKK Kulturlokal
Schmiedestrasse 1
5400 Baden
056 221 65 50
love@werkk-baden.ch

For Technical Concerns:

Roger Müller
roger.mueller@baden.ch
+41 79 561 78 69

This document can be downloaded at: www.werkk-baden.ch

1) Sound Specifications

Speakers

2x Coda Hops12T-Pro / 3-way point source
➔ Frequency Response: 44 Hz – 22 kHz (-6 dB)
➔ Power Rating: 2000 W AES / 8000 W PK

2x Coda U4 / dual 18" subwoofer
➔ Frequency Response: 30 Hz - 150 Hz (-6 dB)
➔ Power Rating: 2500 Watt RMS / 10'000 W PK

Crossover at 70hz

Amps

1x Coda Linus 12C
➔ 4x 3000W/4 Ohm

Monitors

2x passive JBL STX 815M (15" LF, 1.4" HF) amped with Crown XTi4002 (800 W RMS)
2x active dB Technologies Flexsys FM12 (300 W RMS)

Console

1x MIDAS M32 Digital Mixing Console, 32 Channels
2x MIDAS DL16 Digital Stagebox, 16 In- / 8 Outputs

2x Cat5 Ethercon for your guest console (only one is AES50 compatible)
1x Cat5 (without Ethercon, but AES50 compatible)

Microphones	1x Shure Beta 91 1x Shure Beta 52A 1x AKG D112 4x Sennheiser E604 1x Audio-Technica ATM230 3x Sennheiser E614 2x Shure BG 4.1 4x Shure SM57 2x Sennheiser E609 3x Shure SM58 1x Shure Beta 58 A 2x Line 6 XD-V75 Wireless Handheld Mic System 2x BLX4-M17 Shure SM58 Wireless Handheld Mic System
DI	5x Monacor DIB-100 Passive Mono-DI 2x Palmer PAN 02 Active Mono-DI 1x Palmer PAN 01 Passive Mono DI 1x Millenium DIP Passive Mono-DI 1x Palmer PMB-L Merge Box
Microphone Stands	9x Tall K&M Stands 3x Medium K&M Stands 1x Small K&M Stand
DJ-Equipment	1x Pioneer DJM 900-nxs2 1x Pioneer DJM-700 2x Pioneer CDJ-3000 2x Pioneer CDJ-900nxs 3x Technics SL1210 MK2
Cables & Adapters	Nearly everything
dB-Measurement	AMIX Series 2 AFF25

PLEASE NOTE THAT ACCORDING TO A STRICT SWISS LAW

**→ Max Sound Level: 100dB(A) LEQ over 1 hour
125dB(A) at any time**

WE THANK YOU IN ADVANCE FOR YOUR COOPERATION!

2) Light Specifications

DMX Controllers	MA dot2 Core
Stage	4x Fresnel 4x Profiler 6x Par 20 4x Stairville MH-x60 Moving Head 2x Evolite Moving Beam 12x10 6x Cameo Thunder Wash 100RGB 4x LED Par RGB 2x Showtec Stage Blinder 2 DMX 2x Showtec Sunstrip Active 1x Martin Jem Compact Hazer Pro
Dancefloor	2x IMG Stage Line LED-10SPOT 1x Mirror-Ball 1m with Stairville MBM40D Mirror Ball Motor 6x Evolite Moving Wash 5x15c
Mood Lights	16x LED-PAR RGB 10x Globes Ambient Lights

The DMX-Patch can be downloaded from our website: [Downloads / Werkk Baden](#)

3) Power

Backline Power	230V, Swiss T13 Powersockets 230 V, Schuko/Type F Powersockets 1x CEE63 2x CEE32 2x CEE16
-----------------------	---

We do not provide extension cables for the CEE outlets. If you require CEE outlets, kindly bring your own cables. The CEE outlets are located in a room on stage left, therefore a cable length of approximately 6–10 meters is recommended.

Power Boards	Swiss T13 Powerboards Schuko CEE 7/3 Powerboards
---------------------	---

4) Dimensions

Concert Venue	Size	120m2	Width	11.4m
	Depth	9.8m	Height	5m
Stage	Size	37m2	Width	6.5m
	Depth	5.6m	Height	3.9m
Capacity	Max. 300 Pers.			